

The Value of Data and Metadata Standardization for Interoperability in Giovanni

Or: Why your product's metadata causes us headaches!



IN41B-0039

Simplified due to

Really?

file?

No start and end time for you!

No time at

all in the

space limitations

variable with

Time

coordinate

variable bas a

days since 185-01 hours since 1958-07-1958 minutes since 1969-07-16T12:32:00

seconds since 1970-01-01 00:00:00.000

You've read this correctly

To find the start and end

attributes, dimensions,

dimension variables,

variables ...

time, you have to examine

attributes of dimension

Finding time using CF Conventions*

You think I'm joking, don't

Data variabl

Coordinate

You have found a

variable!

Data

variable

You can now

arse the units

ne time-releva variables

Convert time-

values to the time

format you need

You are ready to use the

has cell metho

NASA/Goddard EARTH SCIENCES DATA and INFORMATION SERVICES CENTER (GES DISC)

Christine Smit^{1,2}, Mahabaleshwara Hegde^{1,3}, Richard Strub^{1,3}, Keith Bryant^{1,3}, Angela Li¹, Maksym Petrenko^{1,3}

Abstract

Giovanni is a data exploration and visualization tool at the NASA Goddard Earth Sciences Data Information Services Center (GES DISC). It has been around in one form or another for more than 15 years. Giovanni calculates simple statistics and produces 22 different visualizations for more than 1600 geophysical parameters from more than 90 satellite and model products.

Giovanni relies on external data format standards to ensure interoperability, including the NetCDF CF Metadata Conventions. Unfortunately, these standards were insufficient to make Giovanni's internal data enough... representation truly simple to use. Finding and working with dimensions can be convoluted with the CF Conventions. Furthermore, the CF Conventions are silent on machine-friendly descriptive metadata such as the parameter's source product and product version.

In order to simplify analyzing disparate earth science data parameters in a unified way, we developed Giovanni's internal standard. First, the format standardizes parameter dimensions and variables so they can be easily found. Second, the format adds all the machine-friendly metadata Giovanni needs to present our parameters to users in a consistent and clear manner. At a glance, users can grasp all the pertinent information about parameters both during parameter selection and after visualization.



https://giovanni.gsfc.nasa.gov/giovanni/

More about AIRS-only products!

"AIRS-only Product in Giovanni for Exploring Up-todate AIRS Observation and Comparing with AIRS+AMSU Product"

Poster Session A11A Calibration and Validation of Passive Satellite Earth Observations and Products

Finding dimensions associated with data variables

Analyzing data from multiple products presents unique challenges

General issues:

- Where are the time / latitude / longitude / height / pressure associated with this data?
- O What are the dimension variable bounds?
- o Are the bounds inclusive or exclusive?

Special headaches with time:

Descriptive name

Temporal resolution

measurements

Platform/Instrument

Product/Collection

create this data

Geographic resolution

the time between sequential

measures

- o How do I convert the units into a more universal representation?
- o How do I match data from different products in time so that I can compare them? o If the data represents a day, do I really need to
- specify the time down to the last second?
- If I have to draw a single dot for each time step. in a time series, where do I draw the dot?

something that tells you what this variable

how much area each data point represents

Finding time in Giovanni

Where and when is this data? Please don't make this hard...

Question #1:


Yeah. And don't use different time units in every file of your product. That's just cruel.

Units are always seconds since 1970, the Unix standard for time, which every Convert software package under the sun can o the time forma vou need


You are ready to use the ime information in the file

Same temporal resolution, very different time metadata





... and this just scratches the surface You would not believe the weird stuff we've seen!



Why can't we describe this in CF? It's really important!

what data product the variable came from what version of the algorithm was used to

Units

Version

the units of the data measurement

which instrument collected the data

Methane, Mole Fraction in Air (Daytime/Ascending, AIRS-only) monthly 1 deg. @300hPa [AIRS AIRS3STM v006] ppby data resolution geographic vertical instrument product resolution layer and descriptive/long name version

Authors

- ¹ NASA Goddard Space Flight Center
- ² Telophase Corporation
- ³ ADNET Systems Inc.